

Amendments to the Claims:

1. (Currently Amended) An apparatus comprising:

a context engine configured ~~for storing to~~ store context-related information, the context-related information having been created based upon at least a portion of at least one condition measured by at least one sensor, wherein the context engine is also configured ~~for managing to~~ manage an exchange of the context-related information with at least one context consumer;

a communication manager configured ~~for communicating to~~ communicate with at least one context consumer ~~for receiving to~~ receive at least one context rule and ~~exchanging-exchange~~ context-related information, ~~the~~ at least one context consumer being located external to the apparatus, wherein at least one context rule includes at least one condition value relating to at least a portion of context-related information, and at least one action to be performed; and

a script engine configured ~~for executing to~~ execute at least a portion of at least one context rule, including ~~performing-being configured to perform~~ at least a portion of a respective at least one action, based on a comparison of the respective at least one condition value and ~~the~~ at least one condition measured by ~~the~~ at least one sensor.

2. (Currently Amended) An apparatus according to Claim 1, wherein the context engine comprises:

a blackboard configured ~~for storing to~~ store the context-related information; and

a subscription manager configured ~~for providing to~~ provide at least one subscription to at least a portion of the context-related information to at least one context consumer.

3. (Currently Amended) An apparatus according to Claim 2, wherein the context-related information is ~~configured for being at least one of retrieved-retrievable~~ from or stored by the blackboard.

4. (Previously Presented) An apparatus according to Claim 1, wherein the context-related information is stored as at least one context atom that comprises at least a name and an associated value.

5. (Previously Presented) An apparatus according to Claim 4, wherein the at least one context atom further comprises at least one of a timestamp, a source identifier, a reliability of the respective value, or an accuracy of the respective value.

6. (Previously Presented) An apparatus according to Claim 5, wherein at least a portion of the context-related information is based upon at least one of a timestamp, a source identifier, a reliability of the respective value, or an accuracy of the respective value.

7. (Currently Amended) An apparatus according to Claim 1 further comprising:
a subscription manager configured ~~for permitting to permit~~ at least one context consumer to subscribe to at least one event regarding at least a portion of the context-related information.

8. (Currently Amended) An apparatus according to Claim 1, wherein the context engine is configured ~~for storing to store~~ context-related information from at least one context producer, and wherein the at least one context producer comprises at least one of an application internal to the apparatus, an application external to the apparatus or a user of the apparatus.

9. (Currently Amended) An apparatus according to Claim 1 further comprising:
at least one sensor configured ~~for measuring to measure~~ at least a portion of at least one condition of at least one of the apparatus or a user of the apparatus.

10. (Currently Amended) An apparatus according to Claim 9, wherein the at least one sensor is further configured ~~for preessing to process~~ the portion of the at least one condition into context-related information.

11. (Currently Amended) An apparatus according to Claim 1 further comprising:
a privacy engine configured ~~for providing to provide~~ at least a portion of at least one of security or privacy to the exchange of the context-related information.

12. (Currently Amended) An apparatus according to Claim 11, wherein the privacy engine is configured ~~for operating to operate~~ in accordance with the at least one received rule to one of grant or deny permission to exchange context-related information with at least one context consumer.

13. (Currently Amended) An apparatus according to Claim 1, wherein the communication manager is configured ~~for managing to manage~~ connectivity with at least one context producer for the exchange of context-related information, and wherein the communication manager is further configured ~~for abstracting to abstract~~ at least one communication technology such that the context engine is configured ~~for operating to operate~~ independent of the at least one communication technology.

14. (Currently Amended) An apparatus according to Claim 1, wherein the context engine is configured ~~for transmitting to transmit~~ at least a portion of the context-related information to at least one context consumer external to the apparatus such that the at least one context consumer is configured ~~for determining to determine~~ a context of the apparatus based upon the transmitted portion of the context-related information.

15. (Currently Amended) An apparatus according to Claim 1, wherein the context engine is configured ~~for communicating to communicate~~ with at least one external device according to a context exchange protocol that defines a format in which the context-related information is at least one of transmitted or received.

16. (Cancelled)

17. (Cancelled)

18. (Previously Presented) An apparatus according to Claim 1, wherein a context consumer comprises an application for monitoring a health of a user of the apparatus, wherein at least one context rule relates to the health of the user, and wherein the respective at least one context rule comprises at least a portion of at least one condition relating to the health of the user, and an alert to be issued when the respective portion of the at least one condition is satisfied.

19. (Currently Amended) An apparatus according to Claim 1 further comprising:
at least one application program interface configured ~~for facilitating to~~ facilitate at least one of the transmission or reception of context-related information.

20. (Currently Amended) A system comprising:
at least one context producer configured ~~for creating to~~ create context-related information based upon at least a portion of at least one condition measured by at least one sensor;
at least one context consumer configured ~~for determining to~~ determine a context based upon the context-related information; and

a mobile station configured ~~for storing to~~ store context-related information created by the at least one context producer, wherein the mobile station is also configured ~~for receiving to~~ receive at least one context rule from at least one context consumer located external to the mobile station, and ~~managing~~ manage an exchange of the context-related information between the at least one context producer and the at least one context consumer, and wherein at least one context rule includes at least one condition value relating to at least a portion of context-related information, and at least one action to be performed,

wherein the mobile station comprises a script engine configured ~~for executing to~~ execute at least a portion of at least one context rule, including ~~performing being~~ configured to perform at least a portion of a respective at least one action, based on a comparison of the respective at least one condition value and the at least one condition measured by the at least one sensor.

21. (Currently Amended) A system according to Claim 20, wherein the mobile station comprises a context engine configured ~~for storing to store~~ the context-related information, and ~~providing provide~~ at least one subscription to at least a portion of the context-related information to the at least one context consumer.

22. (Currently Amended) A system according to Claim 21, wherein the context-related information is ~~configured for being at least one of retrieved~~ retrievable from or stored by the context engine.

23. (Currently Amended) A system according to Claim 20, wherein the mobile station is configured ~~for storing to store~~ context-related information as at least one context atom that comprises at least a name and an associated value.

24. (Currently Amended) A system according to Claim 23, wherein the mobile station is configured ~~for storing to store~~ context-related information as at least one context atom that further comprises at least one of a timestamp, a source identifier, a reliability of the respective value, or an accuracy of the respective value.

25. (Previously Presented) A system according to Claim 24, wherein at least a portion of the context-related information is based upon at least one of a timestamp, a source identifier, a reliability of the respective value, or an accuracy of the respective value.

26. (Currently Amended) A system according to Claim 20, wherein the mobile station comprises a subscription manager configured ~~for permitting to permit~~ at least one context consumer to subscribe to at least one event regarding at least a portion of the context-related information.

27. (Previously Presented) A system according to Claim 20, wherein the at least one context producer comprises at least one of an application internal to the mobile station, an application external to the mobile station or a user of the mobile station.

28. (Currently Amended) A system according to Claim 20, wherein the at least one context producer comprises at least one sensor configured ~~for measuring to~~ measure at least a portion of at least one condition of at least one of the mobile station or a user of the mobile station.

29. (Currently Amended) A system according to Claim 28, wherein the at least one sensor is further configured ~~for processing to~~ process the portion of the at least one condition into context-related information.

30. (Currently Amended) A system according to Claim 20, wherein the mobile station comprises a privacy engine configured ~~for providing to~~ provide at least a portion of at least one of security or privacy to the exchange of the context-related information.

31. (Currently Amended) A system according to Claim 30, wherein the privacy engine is configured ~~for operating to~~ operate in accordance with at least one rule to one of grant or deny permission to exchange context-related information with the at least one context consumer.

32. (Currently Amended) A system according to Claim 20, wherein the mobile station comprises a communication manager configured ~~for managing to~~ manage connectivity with the at least one context producer for the exchange of context-related information, and wherein the communication manager is further configured ~~for abstracting to~~ abstract at least one communication technology such that the mobile station is configured ~~for operating to~~ operate independent of the at least one communication technology.

33. (Currently Amended) A system according to Claim 20, wherein the mobile station is configured ~~for transmitting to~~ transmit at least a portion of the context-related information to the at least one context consumer external to the mobile station such that the at least one context consumer is configured ~~for determining to~~ determine a context of the mobile station based upon the transmitted portion of the context-related information.

34. (Currently Amended) A system according to Claim 20, wherein the mobile station is configured ~~for communicating to~~ communicate with at least one external device according to a context exchange protocol that defines a format in which the context-related information is at least one of transmitted or received.

35. (Cancelled)

36. (Cancelled)

37. (Previously Presented) A system according to Claim 20, wherein a context consumer comprises an application for monitoring a health of a user of the mobile station, wherein at least one context rule relates to the health of the user, and wherein the respective at least one context rule comprises at least a portion of at least one condition relating to the health of the user, and an alert to be issued when the respective portion of the at least one condition is satisfied.

38. (Currently Amended) A system according to Claim 20, wherein the mobile station comprises at least one application program interface configured ~~for facilitating to~~ facilitate at least one of the transmission or reception of context-related information.

39. (Currently Amended) A system according to Claim 20 further comprising:
at least one electronic device configured ~~for communicating to~~ communicate with the mobile station, wherein the at least one electronic device comprises a context engine configured

~~for storing to store~~ at least a portion of the context-related information stored by the mobile station.

40. (Currently Amended) A method comprising:
storing context-related information, the context-related information having been created based upon the portion of the at least one condition measured by at least one sensor;
receiving at an apparatus at least one context rule from at least one context consumer located external to the apparatus, the at least one context rule including at least one condition value relating to at least a portion of context-related information, and at least one action to be performed; and

managing at the apparatus an exchange of the context-related information with at least one context consumer, wherein managing the exchange comprises:

receiving a request for at least a portion of the context-related information from a context consumer;

~~determining whether to grant permission for the context consumer to receive the requested portion of the context-related information;~~

transmitting the requested portion of the context-related information ~~when permission is granted to the respective context consumer in response to the request~~; and

executing at least one context rule, including performing at least a portion of a respective at least one action, based on a comparison of the respective at least one condition value and the at least one condition measured by the at least one sensor.

41. (Original) A method according to Claim 40, wherein managing an exchange of the context-related information further comprises:

providing at least one subscription to at least a portion of the context-related information to the at least one context consumer.

42. (Original) A method according to Claim 40, wherein storing context-related information comprises storing context-related information as at least one context atom that comprises at least a name and an associated value.

43. (Previously Presented) A method according to Claim 42, wherein storing context-related information comprises storing context-related information as at least one context atom that further comprises at least one of a timestamp, a source identifier, a reliability of the respective value, or an accuracy of the respective value.

44. (Previously Presented) A method according to Claim 43, wherein at least a portion of the context-related information is based upon at least one of a timestamp, a source identifier, a reliability of the respective value, or an accuracy of the respective value.

45. (Previously Presented) A method according to Claim 40 further comprising measuring at least a portion of at least one condition, wherein measuring at least a portion of at least one condition comprises measuring at least a portion of at least one condition by at least one context producer comprising at least one of an application internal to the mobile station, an application external to the mobile station or a user of the mobile station.

46. (Previously Presented) A method according to Claim 40 further comprising measuring at least a portion of at least one condition, wherein measuring at least a portion of at least one condition further comprises processing the portion of the at least one condition into context-related information.

47. (Currently Amended) A method according to Claim 40 65, wherein determining whether to grant permission comprises determining whether to grant permission in accordance with at least one rule.

48. (Currently Amended) A method according to Claim 40, wherein transmitting the requested portion of the context-related information comprises transmitting the requested portion of the context-related information to at least one context consumer external to the mobile station such that the at least one context consumer is configured ~~for determining to determine~~ a context of the mobile station based upon the transmitted portion of the context-related information.

49. (Cancelled)

50. (Cancelled)

51. (Previously Presented) A method according to Claim 40, wherein a context consumer comprises an application for monitoring a health of a user of the mobile station, wherein at least one context rule relates to the health of the user, and wherein the respective at least one context rule comprises at least a portion of at least one condition relating to the health of the user, and an alert to be issued when the respective portion of the at least one condition is satisfied.

52. (Currently Amended) A computer program product comprising at least one computer-readable storage medium having computer-readable program code portions stored therein, the computer-readable program code portions comprising:

a first executable portion ~~for storing configured to store~~ context-related information, the context-related information having been created based upon the portion of the at least one condition measured by at least one sensor;

a second executable portion ~~for receiving configured to receive at an apparatus~~ at least one context rule ~~from at least one context consumer located external to the apparatus~~, the at least one context rule including at least one condition value relating to at least a portion of context-related information, and at least one action to be performed; and

a third executable portion ~~for managing configured to manage at the apparatus an~~ exchange of the context-related information with at least one context consumer, wherein the third

executable portion is ~~adapted-configured~~ to receive a request for at least a portion of the context-related information from a context consumer, ~~determine whether to grant permission for the context consumer to receive the requested portion of the context-related information, and when permission is granted, transmit the requested portion of the context-related information to the~~ respective context consumer in response to the request,

wherein the third executable portion is further ~~adapted-configured~~ to execute at least one context rule, including performing at least a portion of a respective at least one action, based on a comparison of the respective at least one condition value and the at least one condition measured by the at least one sensor.

53. (Currently Amended) A computer program product according to Claim 52, wherein the third executable portion is further ~~adapted-configured~~ to provide at least one subscription to at least a portion of the context-related information to the at least one context consumer.

54. (Currently Amended) A computer program product according to Claim 52, wherein the first executable portion is ~~adapted-configured~~ to store context-related information as at least one context atom that comprises at least a name and an associated value.

55. (Currently Amended) A computer program product according to Claim 54, wherein the first executable portion is ~~adapted-configured~~ to store context-related information as at least one context atom that further comprises at least one of a timestamp, a source identifier, a reliability of the respective value, or an accuracy of the respective value.

56. (Previously Presented) A computer program product according to Claim 55, wherein at least a portion of the context-related information is based upon at least one of a timestamp, a source identifier, a reliability of the respective value, or an accuracy of the respective value.

57. (Currently Amended) A computer program product according to Claim 52, ~~wherein the computer-readable program code portions further comprising~~ comprise a third executable portion ~~for measuring~~ configured to measure at least a portion of at least one condition, wherein the third executable portion is further ~~adapted~~ configured to process the portion of the at least one condition into context-related information.

58. (Currently Amended) A computer program product according to Claim ~~52~~ 67, wherein the third executable portion is ~~adapted~~ configured to determine whether to grant permission in accordance with at least one rule.

59. (Currently Amended) A computer program product according to Claim 52, wherein the third executable portion is ~~adapted~~ configured to transmit the requested portion of the context-related information to at least one context consumer external to the mobile station such that the at least one context consumer is configured ~~for determining~~ to determine a context of the mobile station based upon the transmitted portion of the context-related information.

60. (Cancelled)

61. (Cancelled)

62. (Previously Presented) A computer program product according to Claim 52, wherein a context consumer comprises an application for monitoring a health of a user of the mobile station, wherein at least one context rule relates to the health of the user, and wherein the respective at least one context rule comprises at least a portion of at least one condition relating to the health of the user, and an alert to be issued when the respective portion of the at least one condition is satisfied.

63. (New) An apparatus according to Claim 1, wherein the context-related information is stored as at least one context atom that comprises at least a name and an associated value, the apparatus further comprising:

a subscription manager configured to provide a context consumer with a subscription to a context atom to thereby permit the respective context consumer to receive a notification when the respective context atom changes.

64. (New) A method according to Claim 40, wherein storing context-related information comprises storing context-related information as at least one context atom that comprises at least a name and an associated value, and wherein managing an exchange of the context-related information further comprises:

providing a context consumer with a subscription to a context atom to thereby permit the respective context consumer to receive a notification when the respective context atom changes.

65. (New) A method according to Claim 40, wherein managing an exchange further comprises:

determining whether to grant permission for the context consumer to receive the requested portion of the context-related information, and

wherein transmitting the requested portion comprises transmitting the requested portion of the context-related information when permission is granted.

66. (New) A computer program product according to Claim 52, wherein the first executable portion is configured to store context-related information as at least one context atom that comprises at least a name and an associated value, and

wherein the third executable portion is further configured to provide a context consumer with a subscription to a context atom to thereby permit the respective context consumer to receive a notification when the respective context atom changes.

67. (New) A computer program product according to Claim 52, wherein the third

executable portion being configured to manage an exchange further comprises being configured to determine whether to grant permission for the context consumer to receive the requested portion of the context-related information, and

wherein the third executable portion being configured to transmit the requested portion includes being configured to transmit the requested portion of the context-related information when permission is granted.